



Autism Spectrum Rating Scales (6-18 Years)

By Sam Goldstein, Ph.D. & Jack A. Naglieri, Ph.D.

Comparative Report

Youth's Name/ID: Joey D

Gender: Male

Birth Date: January 02, 1999

Parent	Teacher		
Joey D	Joey D		
Jul 02, 2009	Jul 03, 2009		
10 years	10 years		
5	5		
Mrs. D	Mr. J		
Dr. G	Dr. G		
Maria	Maria		
	Joey D Jul 02, 2009 10 years 5 Mrs. D Dr. G		

Psychological Assessments Australia PO Box 27 Jannali NSW 2226 Ph: (02) 95890011 Fax: (02) 95890063 E: infopaa@psychassessments.com.au www.psychassessments.com.au


Overview

The Autism Spectrum Rating Scales (6-18 Years) [ASRS (6-18 Years)] is used to quantify observations of a youth that are associated with Autism Spectrum Disorders. When used in combination with other information, results from the ASRS (6-18 Years) can help determine the likelihood that a youth has symptoms associated with Autism Spectrum Disorders, and that information can be used to determine treatment targets. This computerized report combines the results of up to five raters to provide an overview of the youth's behavior from a multi-rater perspective, and highlights potentially important inter-rater differences in scores. Please note that this Comparative Report is intended to provide an overview of similarities and differences in scores between raters. For detailed information about any given administration, please refer to the ASRS Interpretive Reports. This computerized report provides quantitative information about the ratings of the youth. Additional interpretive information can be found in the ASRS Technical Manual. This Comparative Report is intended for use by qualified assessors only.

T-score Classifications


T-score	Classification			
70+	Very Elevated Score (Many more concerns than are typically reported)			
65-69	Elevated Score (More concerns than are typically reported)			
60-64	Slightly Elevated Score (Somewhat more concerns than are typically reported)			
40-59	Average Score (Typical levels of concern)			
<40	Low Score (Fewer concerns than are typically reported)			


T-scores: Comparisons Between Raters






Copyright © 2010 Multi-Health Systems Inc. All rights reserved. Page 2






T-scores: Scale-Level Comparisons Between Raters


For all graphs, P = Parent and T = Teacher.




Scores were not significantly different between raters.




Scores were not significantly different between raters.



Scores were not significantly different between raters.




Scores were not significantly different between raters.




Scores were not significantly different between raters.


Copyright © 2010 Multi-Health Systems Inc. All rights reserved.




Scores were not significantly different between raters.



Scores were not significantly different between raters.




Scores were not significantly different between raters.





Scores were not significantly different between raters.




Copyright © 2010 Multi-Health Systems Inc. All rights reserved.








P significantly higher than T ratings.



Scores were not significantly different between raters.



Scores were not significantly different between raters.

Copyright © 2010 Multi-Health Systems Inc. All rights reserved.

Detailed Scores: Comparisons Between Raters

The following table displays T-scores, Confidence Intervals, and Percentile Ranks for each scale, as well as any statistically significant (p = .10, adjusted for multiple comparisons) changes in T-scores between pairs of raters. If a pair of ratings is not noted in the "Significant Differences Between Raters" column, then the difference between those two raters did not reach statistical significance.

Note: CI = Confidence Interval, P = Parent and T = Teacher.

Scale		Р	Т	Significant Differences Between Raters		
TOTAL SCORE		<u> </u>				
	T-score	73	73			
Total Score	90% CI	70-75	70-75	No significant difference		
	Percentile	99	99			
ASRS SCALES		<u> </u>				
- · · · ·	T-score	77	78			
Social/	90% CI	72-79	73-80	No significant difference		
Communication	Percentile	99	99			
	T-score	60	53			
Unusual	90% CI	56-63	49-57	No significant difference		
Behaviors	Percentile	84	62			
	T-score	70	74			
Self-Regulation	90% CI	64-73	69-76	No significant difference		
· ·	Percentile	98	99			
DSM-IV-TR SCALI	E	<u>'</u>				
	T-score	69	68			
DSM-IV-TR Scale	90% CI	65-71	64-71	No significant difference		
	Percentile	97	96			
TREATMENT SCA	LES					
	T-score	70	73			
Peer Socialization	90% CI	62-73	65-75	No significant difference		
	Percentile	98	99	7		
	T-score	58	63			
Adult Socialization	90% CI	49-63	54-67	No significant difference		
	Percentile	79	90	7		
	T-score	77	76			
Social/Emotional	90% CI	69-79	69-78	No significant difference		
Reciprocity	Percentile	99	99	7		
	T-score	52	44			
Atypical Language	90% CI	46-58	39-51	No significant difference		
	Percentile	58	27			
	T-score	49	54			
Stereotypy	90% CI	43-56	46-60	No significant difference		
	Percentile	46	66			
	T-score	72	48			
Behavioral Rigidity	90% CI	65-75	44-53	P > T		
_	Percentile	99	42			
	T-score	44	48			
Sensory	90% CI	39-51	42-55	No significant difference		
Sensitivity	Percentile	27	42			
	T-score	72	73			
Attention	90% CI	65-75	67-76	No significant difference		
	Percentile	99	99			

Summary of Significant Differences Between Raters

The following section summarizes the ASRS scores, as well as statistically significant differences between raters' assessments of Joey D.

Note: Elevated score = T-score ≥ 60; Low/Average score = T-score < 60; T = T-score, CI = Confidence Interval.

Total Score

Ratings on the **Total Score** scale indicate the extent to which the youth's behavioral characteristics are similar to the behaviors of youth diagnosed with an Autism Spectrum Disorder. Elevated scores were obtained for Parent (T = 73; 90% CI = 70-75), and Teacher (T = 73; 90% CI = 70-75). Scores were not significantly different between raters.

ASRS Scales

Ratings on the **Social/Communication** scale indicate the extent to which the youth uses verbal and non-verbal communication appropriately to initiate, engage in, and maintain social contact. Elevated scores were obtained for Parent (T = 77; 90% CI = 72-79), and Teacher (T = 78; 90% CI = 73-80). Scores were not significantly different between raters.

Ratings on the **Unusual Behaviors** scale indicate the youth's level of tolerance for changes in routine, engagement in apparently purposeless and stereotypical behaviors, and overreaction to certain sensory experiences. Elevated scores were obtained for Parent (T = 60; 90% CI = 56-63). Low/average scores were obtained for Teacher (T = 53; 90% CI = 49-57). Scores were not significantly different between raters.

Ratings on the **Self-Regulation** scale indicate how well the youth manages his behavior and thoughts, maintains focus, and resists distraction. Elevated scores were obtained for Parent (T = 70; 90% CI = 64-73), and Teacher (T = 74; 90% CI = 69-76). Scores were not significantly different between raters.

DSM-IV-TR Scale

Ratings on the **DSM-IV-TR Scale** indicate how closely the youth's symptoms match the DSM-IV-TR criteria for an Autism Spectrum Disorder. Elevated scores were obtained for Parent (T = 69; 90% CI = 65-71), and Teacher (T = 68; 90% CI = 64-71). Scores were not significantly different between raters.

Treatment Scales

Ratings on the **Peer Socialization** scale indicate the youth's willingness and capacity to successfully engage in activities that develop and maintain relationships with other youth. Elevated scores were obtained for Parent (T = 70; 90% CI = 62-73), and Teacher (T = 73; 90% CI = 65-75). Scores were not significantly different between raters.

Ratings on the **Adult Socialization** scale indicate the youth's willingness and capacity to successfully engage in activities that develop and maintain relationships with adults. Elevated scores were obtained for Teacher (T = 63; 90% CI = 54-67). Low/average scores were obtained for Parent (T = 58; 90% CI = 49-63). Scores were not significantly different between raters.

Ratings on the **Social/Emotional Reciprocity** scale indicate the youth's ability to provide an appropriate emotional response to another person in a social situation. Elevated scores were obtained for Parent (T = 77; 90% CI = 69-79), and Teacher (T = 76; 90% CI = 69-78). Scores were not significantly different between raters.

Ratings on the **Atypical Language** scale indicate the extent to which the youth is able to utilize spoken communication in a structured and conventional way. Low/average scores were obtained for Parent (T = 52; 90% CI = 46-58), and Teacher (T = 44; 90% CI = 39-51). Scores were not significantly different between raters.

Ratings on the **Stereotypy** scale indicate the extent to which the youth engages in apparently purposeless and repetitive behaviors. Low/average scores were obtained for Parent (T = 49; 90% CI = 43-56), and Teacher (T = 54; 90% CI = 46-60). Scores were not significantly different between raters.

Ratings on the **Behavioral Rigidity** scale indicate the extent to which the youth tolerates changes in his

Copyright © 2010 Multi-Health Systems Inc. All rights reserved.



Page 8 ver

environment, routines, activities, or behaviors. Elevated scores were obtained for Parent (T = 72; 90% CI = 65-75). Low/average scores were obtained for Teacher (T = 48; 90% CI = 44-53). Parent ratings were significantly higher than Teacher ratings.

Ratings on the **Sensory Sensitivity** scale indicate the youth's level of tolerance for certain experiences sensed through touch, sound, vision, smell, or taste. Low/average scores were obtained for Parent (T = 44; 90% CI = 39-51), and Teacher (T = 48; 90% CI = 42-55). Scores were not significantly different between raters.

Ratings on the **Attention** scale indicate the extent to which the youth is able to appropriately focus his attention on one thing while ignoring other things. Elevated scores were obtained for Parent (T = 72; 90% CI = 65-75), and Teacher (T = 73; 90% CI = 67-76). Scores were not significantly different between raters.



Copyright © 2010 Multi-Health Systems Inc. All rights reserved.

Item Responses

The raters marked the following responses for items on the ASRS (6-18 Years). **Note:** P = Parent and T = Teacher.

Delay of Communication Items

Item	Rat	Ratings			
Item	Р	T			
DC1. Did your child acquire language before age 3?	Yes	-			
DC2. If Yes, did your child speak in 3 word sentences by age 3?	Yes				

Item	Ratings		140.00	Ratings		Item	Ratings	
	Р	Т	Item	Р	Т	Item	Р	T
1.	3	4	25.	1	0	49.	4	1
2.	0	0	26.	0	0	50.	2	1
3.	3	0	27.	0	0	51.	4	0
4.	3	3	28.	1	2	52.	3	3
5.	1	2	29.	0	0	53.	0	0
6.	2	4	30.	3	4	54.	2	0
7.	4	4	31.	2	2	55.	1	1
8.	2	1	32.	1	1	56.	0	0
9.	1	1	33.	4	4	57.	3	3
10.	1	1	34.	3	3	58.	2	0
11.	3	3	35.	4	4	59.	1	2
12.	3	0	36.	4	4	60.	4	4
13.	4	1	37.	3	2	61.	1	1
14.	3	2	38.	0	1	62.	0	0
15.	2	1	39.	1	2	63.	4	1
16.	3	2	40.	2	0	64.	2	2
17.	1	1	41.	2	2	65.	0	0
18.	0	0	42.	1	1	66.	2	3
19.	2	3	43.	1	1	67.	0	0
20.	0	0	44.	3	3	68.	0	0
21.	1	0	45.	0	1	69.	2	2
22.	2	0	46.	0	0	70.	2	3
23.	0	0	47.	1	1	71.	4	4
24.	4	0	48.	2	3			

Response Key: 0 = Never; 1 = Rarely; 2 = Occasionally; 3 = Frequently; 4 = Very Frequently; ? = Omitted Item.