



MCMII[®]-IV

MILLON[®] CLINICAL
MULTIAXIAL INVENTORY-IV

MCMII[®]-IV

Millon[®] Clinical Multiaxial Inventory-IV

Profile Report

Theodore Millon, PhD, DSc

Name: Joan Sample
ID Number: 123456789
Age: 29
Gender: Female
Setting: Outpatient never hospitalized
Education: Bachelor's degree or more
Race: Hispanic
Marital Status: Never Married
Date Assessed: 10/09/2015



Copyright © 2015 DICANDRIEN, Inc. All rights reserved.

Pearson, the **PSI logo**, and **PsychCorp** are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s). **MCMII** and **Millon** are registered trademarks of DICANDRIEN, Inc.

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[1.0 / RE1 / QG1]

CLINA8084 11/15

INTERPRETIVE CONSIDERATIONS

MCMII-IV reports are normed on patients who were in the early phases of assessment or psychotherapy for emotional discomfort or social difficulties. Respondents who do not fit this normative population or who have inappropriately taken the MCMII-IV for nonclinical purposes may have inaccurate reports. The MCMII-IV report cannot be considered definitive. It should be evaluated in conjunction with additional clinical data. The report should be evaluated by a mental health clinician trained in the use of psychological tests.

The patient is a 29-year-old single Hispanic female with a bachelor's degree or more. She is currently being seen as an outpatient, and she reports that she has recently experienced a problem that involves low self-confidence. These self-reported difficulties, which have occurred for an unspecified period of time, may take the form of a clinical syndrome disorder.

This patient's test results are of questionable validity due to the possibility of random responding. She received an unusually high score on the Inconsistency (W) scale, meaning that a number of her responses to pairs of items that are similar in content are contradictory. This suggests lack of responsiveness to the content of the items. Common reasons for random responding include reading or language limitations, difficulty maintaining attention, cognitive impairment, carelessness, fatigue, and deliberate uncooperativeness. The possibility that one or more of these factors affected the patient's test responses should be investigated. In the meantime, the test results should be interpreted with caution.

This patient's response style may indicate a broad tendency to magnify the level of experienced illness or a characterological inclination to complain or to be self-pitying. On the other hand, the response style may convey feelings of extreme vulnerability that are associated with a current episode of acute turmoil. Whatever the impetus for the response style, the patient's scale scores, particularly those on Clinical Syndrome scales, may be somewhat exaggerated, and the interpretation of this profile should be made with this consideration in mind. Scores have been adjusted based on the Disclosure scale to compensate for a potential over reporting of actual symptoms.

Scores have been adjusted based on the Disclosure scale to compensate for a potential over reporting of actual symptoms. Scores for scales 2B (Melancholic), 8B (Masochistic), and C (Borderline) have been adjusted based on scales A (Generalized Anxiety) and CC (Major Depression) to compensate for the potential over reporting of symptoms based on the elevated scores from scales A and CC. Additional score adjustments have also been made on scores for scales 2A (Avoidant) and S (Schizotypal).

MILLON CLINICAL MULTIAXIAL INVENTORY-IV PROFILE SUMMARY

HIGH-POINT CODE = 8A 6A 2B
BR ADJUSTMENTS = X, A/CC

INVALIDITY (V) = 0
INCONSISTENCY (W) = 14

VALIDITY		Score		Profile of BR Scores				
		Raw	BR	0	35	75	100	
Modifying Indices				Low	Average	High		
Disclosure	X	75	88					
Desirability	Y	12	60					
Debasement	Z	24	88					

PERSONALITY		Raw	Score		Profile of BR Scores				
			PR	BR	0	60	75	85	115
Clinical Personality Patterns					Style	Type	Disorder		
AASchd	1	11	64	66					
SRAvoid	2A	10	58	70					
DFMelan	2B	22	84	78					
DADepn	3	11	71	73					
SPHistr	4A	13	53	62					
EETurbu	4B	15	59	65					
CENarc	5	10	74	69					
ADAntis	6A	17	99	92					
ADSadis	6B	10	75	68					
RCComp	7	10	16	40					
DRNegat	8A	24	99	96					
AAMasoc	8B	13	72	71					
Severe Personality Pathology									
ESSchizoph	S	12	65	65					
UBCycloph	C	24	99	97					
MPParaph	P	10	75	71					

PSYCHOPATHOLOGY		Raw	Score		Profile of BR Scores				
			PR	BR	0	60	75	85	115
Clinical Syndromes					Present		Prominent		
GENanx	A	7	57	78					
SOMsym	H	8	59	66					
BIPspe	N	5	38	58					
PERdep	D	26	97	107					
ALCuse	B	6	92	83					
DRGuse	T	5	74	67					
P-Tstr	R	4	48	60					
Severe Clinical Syndromes									
SCHspe	SS	12	68	64					
MAJdep	CC	16	79	86					
DELdis	PP	4	74	64					

MILLON CLINICAL MULTIAXIAL INVENTORY-IV

FACET SCALES FOR HIGHEST ELEVATED PERSONALITY SCALES

FACET SCALES	Score			Profile of BR Scores			
	Raw	PR	BR	0	35	75	100
UBCycloph	C			Interpretable			
Uncertain Self-Image	C.1	8	95	85			
Split Architecture	C.2	8	90	78			
Temperamentally Labile	C.3	9	98	85			
DRNegat	8A						
Expressively Embittered	8A.1	7	94	83			
Discontented Self-Image	8A.2	7	79	75			
Temperamentally Irritable	8A.3	7	88	80			
ADAntis	6A						
Interpersonally Irresponsible	6A.1	5	87	75			
Autonomous Self-Image	6A.2	8	99	90			
Acting-Out Dynamics	6A.3	2	61	64			

GROSSMAN FACET SCALE SCORES

	Raw	PR	BR		Raw	PR	BR
1 Schizoid				6B Sadistic			
1.1 Interpersonally Unengaged	2	38	60	6B.1 Expressively Precipitate	6	90	75
1.2 Meager Content	4	57	64	6B.2 Interpersonally Abrasive	5	93	75
1.3 Temperamentally Apathetic	6	82	75	6B.3 Eruptive Architecture	5	90	75
2A Avoidant				7 Compulsive			
2A.1 Interpersonally Aversive	3	41	60	7.1 Expressively Disciplined	4	42	60
2A.2 Alienated Self-Image	5	70	75	7.2 Cognitively Constricted	7	66	68
2A.3 Vexatious Content	5	76	77	7.3 Reliable Self-Image	1	1	10
2B Melancholic				8A Negativistic			
2B.1 Cognitively Fatalistic	6	70	75	8A.1 Expressively Embittered	7	94	83
2B.2 Worthless Self-Image	7	90	85	8A.2 Discontented Self-Image	7	79	75
2B.3 Temperamentally Woeful	6	76	78	8A.3 Temperamentally Irritable	7	88	80
3 Dependent				8B Masochistic			
3.1 Expressively Puerile	6	79	75	8B.1 Undeserving Self-Image	8	84	75
3.2 Interpersonally Submissive	3	70	70	8B.2 Inverted Architecture	5	79	72
3.3 Inept Self-Image	4	66	70	8B.3 Temperamentally Dysphoric	2	22	36
4A Histrionic				S Schizotypal			
4A.1 Expressively Dramatic	3	70	70	S.1 Cognitively Circumstantial	4	60	63
4A.2 Interpersonally Attention-Seeking	6	52	65	S.2 Estranged Self-Image	5	70	66
4A.3 Temperamentally Fickle	6	53	64	S.3 Chaotic Content	6	90	75
4B Turbulent				C Borderline			
4B.1 Expressively Impetuous	5	69	70	C.1 Uncertain Self-Image	8	95	85
4B.2 Interpersonally High-Spirited	6	71	70	C.2 Split Architecture	8	90	78
4B.3 Exalted Self-Image	1	10	15	C.3 Temperamentally Labile	9	98	85
5 Narcissistic				P Paranoid			
5.1 Interpersonally Exploitive	5	84	75	P.1 Expressively Defensive	1	28	30
5.2 Cognitively Expansive	4	40	48	P.2 Cognitively Mistrustful	6	97	85
5.3 Admirable Self-Image	3	83	75	P.3 Projection Dynamics	5	87	77
6A Antisocial							
6A.1 Interpersonally Irresponsible	5	87	75				
6A.2 Autonomous Self-Image	8	99	90				
6A.3 Acting-Out Dynamics	2	61	64				

NOTEWORTHY RESPONSES

The patient answered the following statements in the direction noted in parentheses. These items suggest specific problem areas that the clinician may wish to investigate.

Health Preoccupied

- 120. Item Content Omitted (True)
- 146. Item Content Omitted (True)

Interpersonally Alienated

- 4. Item Content Omitted (True)
- 190. Item Content Omitted (True)

Emotional Dyscontrol

- 45. Item Content Omitted (True)
- 72. Item Content Omitted (True)
- 80. Item Content Omitted (True)

Self-Destructive Potential

- 14. Item Content Omitted (True)
- 32. Item Content Omitted (True)
- 34. Item Content Omitted (True)
- 39. Item Content Omitted (True)
- 101. Item Content Omitted (True)
- 114. Item Content Omitted (True)
- 151. Item Content Omitted (True)
- 164. Item Content Omitted (True)

Childhood Abuse

- 47. Item Content Omitted (True)

Vengefully Prone

- 22. Item Content Omitted (True)
- 37. Item Content Omitted (True)
- 111. Item Content Omitted (True)
- 167. Item Content Omitted (True)
- 178. Item Content Omitted (True)
- 192. Item Content Omitted (True)

Explosively Angry

- 11. Item Content Omitted (True)
- 74. Item Content Omitted (True)
- 168. Item Content Omitted (True)
- 191. Item Content Omitted (True)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the measure, the item content does not appear in this sample report.

SAMPLE

Autism Spectrum

- 179. Item Content Omitted (True)
- 190. Item Content Omitted (True)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the measure, the item content does not appear in this sample report.

End of Report

NOTE: This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

SAMPLE

ITEM RESPONSES

1: 1	2: 2	3: 2	4: 1	5: 1	6: 1	7: 2	8: 2	9: 2	10: 1
11: 1	12: 2	13: 2	14: 1	15: 1	16: 1	17: 1	18: 1	19: 1	20: 1
21: 2	22: 1	23: 2	24: 2	25: 1	26: 1	27: 2	28: 1	29: 2	30: 1
31: 2	32: 1	33: 1	34: 1	35: 1	36: 2	37: 1	38: 1	39: 1	40: 2
41: 2	42: 2	43: 1	44: 2	45: 1	46: 1	47: 1	48: 2	49: 2	50: 1
51: 1	52: 1	53: 1	54: 2	55: 2	56: 2	57: 2	58: 2	59: 2	60: 2
61: 2	62: 2	63: 1	64: 1	65: 1	66: 2	67: 1	68: 2	69: 2	70: 1
71: 1	72: 1	73: 2	74: 1	75: 2	76: 2	77: 1	78: 2	79: 1	80: 1
81: 2	82: 1	83: 1	84: 1	85: 2	86: 2	87: 1	88: 1	89: 2	90: 2
91: 2	92: 2	93: 1	94: 2	95: 2	96: 1	97: 1	98: 2	99: 2	100: 2
101: 1	102: 2	103: 2	104: 2	105: 2	106: 2	107: 2	108: 2	109: 1	110: 2
111: 1	112: 1	113: 2	114: 1	115: 2	116: 1	117: 2	118: 1	119: 2	120: 1
121: 2	122: 1	123: 1	124: 2	125: 1	126: 2	127: 2	128: 1	129: 1	130: 2
131: 1	132: 2	133: 2	134: 1	135: 2	136: 2	137: 1	138: 2	139: 1	140: 2
141: 2	142: 2	143: 2	144: 2	145: 2	146: 1	147: 1	148: 2	149: 2	150: 2
151: 1	152: 1	153: 2	154: 1	155: 1	156: 1	157: 2	158: 1	159: 2	160: 2
161: 2	162: 1	163: 2	164: 1	165: 2	166: 1	167: 1	168: 1	169: 1	170: 1
171: 2	172: 1	173: 2	174: 2	175: 1	176: 2	177: 2	178: 1	179: 1	180: 2
181: 2	182: 2	183: 1	184: 1	185: 1	186: 2	187: 1	188: 2	189: 2	190: 1
191: 1	192: 1	193: 1	194: 2	195: 2					